

ALUMINIUM EXTRUSION

EXPERTISE IN COMPLEX ALUMINIUM EXTRUSION PRODUCTS

PRODUCT CATALOGUE



e-CATALOGUE

“About us,,


KANISHK ALUMINIUM EXTRUSIONS PVT. LTD. is located in the second largest city of Rajasthan i.e. JODHPUR. KAEPL is a manufacturing company which manufactures Aluminium Extruded Profiles from the Melting of aluminium till finish of the profiles. KAEPL is a unit of P.N. Agarwal & Co., Group and our group was established in 1984. P.N. has its own Anodizing and Powder Coating Unit which helps our group to serve our customers with the best quality and on time delivery material. In Addition to above all, we have one more company of our group named KANISHK METALS, in this we manufacture Aluminium Grills, Aluminium Ladders and Aluminium Doors Windows. Our group is now established in the market as one of the leading sources of Aluminium Profiles Doors, Windows, Partitions, Ventilators & Facades and similar other Architectural products.

It has the state of the art fabrication and manufacturing unit in Jodhpur. After 35 years of vast experience, KANISHK is established in the Indian market and is known for the impeccable quality and outstanding service to its esteemed customers spread throughout India.

We are committed to developing, promoting and marketing energy efficient solutions through our aluminium architectural products for people across the globe. We address this challenge with our Green Products and focus on Green Innovation.

KANISHK products conform to industry standards and are of international quality. Company uses green methodologies, high quality raw materials and is well equipped with imported automated technology machines and latest equipments to provide world class quality products. Aluminium profiles with 6063 alloy and T6 temper used by the company ensures its products to be light, strong, durable and corrosion resistant. All aluminium products are protected with anodic coating conforming to International Standards. For powder coating, the company uses state-of-the-art methodology and high quality raw materials so that the quality of the finished products is as per Industry Standards. Automated in-house anodizing and powder coating plants helps the company to achieve stringent quality control objectives.

OUR FACTORY



OUR FACILITY



Polishing



POWDER COATING



Ladder



Anodizing & Electro Coloring



Grill




DIE MANUFACTURING

INDEX

Name	Page No.
Bars	1-2
Tubes	3-5
Angles	6
Tee	7
U- Channel	8
18mm Sliding Series	9-10
20mm Sliding Series	11
25mm Sliding Series	12
27mm Domal Sliding Series	13
35mm Domal Sliding Series	14
78mm Sliding Series	15-16
90mm Sliding Series	17
100mm Sliding Series	18
Door & Partition Profile	19-21
Shutter Square Profile	22
Shutter Moulding Profile	23
Casement Series	24-27
Ladder Profile	28-29
P-Type Profile	30
Curtain Wall	31
Curtain Profile	32-33
Heat Sink Profile	34-38
Bus / Truck Body Profile	39-40
Transport Profile	41
Solar Profile	42-43
AC Section	44-46
Work Station	47
Photo Frame	48
Sliding Folding Door	49
Signage Board	50
Clip On	51
uPVC Tracks	52
Filter Profile	53
Kitchen Profile	54
Hardware Profile	55
Expandable Grill Profile	56-57
Miscellaneous Profile	58-63

Flat Bar/ Bus Bar



Die No.	A	B	Wt.kg/12'
11159	12.00	2.00	0.230 - 0.260
11172	12.00	2.50	0.290 - 0.320
11141	16.00	6.00	0.950 - 1.050
11152	18.00	2.50	0.450 - 0.500
11151	19.00	6.00	1.100 - 1.300
11150	20.00	5.00	1.000 - 1.200
11130	20.00	6.00	1.200 - 1.400
11131	20.00	10.00	2.000 - 2.300
11161	22.50	2.50	0.550 - 0.600
11169	25.00	2.00	0.500 - 0.550
11101	25.00	3.00	0.725 - 0.825
11123	25.00	5.00	1.200 - 1.400
11102	25.00	6.00	1.450 - 1.650
11127	25.00	8.00	2.000 - 2.200
11103	25.00	10.00	2.400 - 2.600
11149	25.00	12.00	3.000 - 3.500
11165	30.00	1.50	0.400 - 0.480
11132	30.00	3.00	0.900 - 1.000
11146	30.00	5.00	1.500 - 1.700
11124	30.00	6.00	1.800 - 2.000
11104	32.00	3.00	0.900 - 1.000
11105	32.00	6.00	1.800 - 2.000
11106	32.00	10.00	3.000 - 3.300
11173	35.00	1.75	0.600 - 0.700
11164	38.00	1.50	0.500 - 0.600
11107	38.00	3.00	1.050 - 1.150
11108	38.00	6.00	2.200 - 2.400
11109	38.00	10.00	3.600 - 3.900
11162	40.00	2.00	0.800 - 1.000
11126	40.00	6.00	2.400 - 2.600
11128	40.00	10.00	4.000 - 4.300
11154	40.00	16.00	6.300 - 6.700
11110	50.00	3.00	1.400 - 1.600
11144	50.00	5.00	2.500 - 2.800


Die No.	A	B	Wt.kg/12'
11111	50.00	6.00	2.900 - 3.100
11125	50.00	8.00	4.000 - 4.500
11112	50.00	10.00	4.900 - 5.200
11153	50.00	12.00	6.000 - 6.500
11160	60.00	4.00	2.300 - 2.600
11148	60.00	6.00	3.500 - 4.000
11113	60.00	10.00	5.800 - 6.200
11143	63.00	16.00	10.10 - 10.60
11157	63.00	20.00	12.50 - 13.00
11167	65.00	16.00	10.40 - 10.90
11170	65.00	20.00	12.90 - 13.40
11114	75.00	6.00	4.300 - 4.600
11115	75.00	10.00	7.200 - 7.500
11133	75.00	12.00	9.000 - 10.00
11116	80.00	10.00	7.700 - 8.200
11117	100.00	4.00	3.800 - 4.100
11118	100.00	6.00	5.700 - 6.100
11135	100.00	10.00	10.00 - 10.50
11129	100.00	12.00	12.00 - 13.00
11155	100.00	16.00	16.00 - 16.50
11142	100.00	20.00	20.20 - 20.70
11119	125.00	4.00	4.700 - 5.000
11120	125.00	6.00	7.100 - 7.400
11134	125.00	10.00	12.50 - 13.00
11156	127.00	16.00	20.30 - 20.70
11158	127.00	20.00	25.00 - 26.00
11168	127.00	25.00	31.50 - 32.50
11174	146.00	3.00	4.300 - 4.600
11121	150.00	4.00	5.700 - 6.100
11122	150.00	6.00	8.600 - 8.900
11147	150.00	10.00	15.00 - 15.50
11171	150.00	12.00	18.00 - 18.50
11166	203.00	2.00	4.000 - 4.300

Radius Flat Bar/ Bus Bar




Die No.	A	B	Wt.kg/12'
11140 R3	30.00	10.00	3.000 - 3.300
11139 R3	100.00	10.00	10.00 - 10.50
66139	114.30	44.45	50.00 - 52.00
11138 R3	125.00	10.00	12.50 - 13.00
11137 R3	150.00	10.00	15.00 - 16.00
11145 R3	160.00	10.00	16.00 - 16.50
11136 R5	200.00	10.00	20.00 - 21.00

Star Bar



Die No.	A	B	Wt.kg/12'
62259	6.00	5.25	0.180 - 0.200

Square Bar




Die No.	A	B	Wt.kg/12'
40101	12.70	12.70	1.600 - 1.700
40102	25.00	25.00	6.200 - 6.500

Round Bar



Die No.	A	Wt.kg/12'
16103	4.60	0.150 - 0.170
16104	5.20	0.200 - 0.220
16106	6.00	0.280 - 0.320
16107	8.00	0.500 - 0.550
16101	10.00	0.750 - 0.800
16102	25.00	4.900 - 5.200
16105	32.00	7.800 - 8.200
66138	63.50	31.00 - 33.00
66137	76.20	45.00 - 47.00


Rectangle Tube



Die No.	A	B	T	Wt.kg/12'
20100	34.00	22.00	0.55	0.600 - 0.700
20102	36.00	24.00	0.80	0.950 - 1.100
20103	36.00	24.00	1.20	1.300 - 1.500
62174	36.70	24.70	0.75	0.850 - 0.950
20104	38.00	24.00	1.60	1.700 - 1.900
20105	38.00	25.40	3.00	3.600 - 3.900
20200	45.00	22.00	0.60	0.750 - 0.850
20201	48.00	24.00	0.80	1.050 - 1.250
20202	48.00	24.00	1.00	1.400 - 1.600
20203	48.00	24.00	1.15	1.600 - 1.800
20205	48.00	24.00	1.50	2.000 - 2.200
20208	50.00	12.75	1.15	1.400 - 1.600
20207	50.00	25.00	1.90	2.700 - 3.000
20209	50.00	38.00	1.60	2.700 - 2.900
66109	60.00	40.00	3.00	5.600 - 6.000
20300	61.00	36.00	0.70	1.300 - 1.500
20301	63.00	38.00	0.85	1.600 - 1.800
20310	63.00	38.00	0.90	1.750 - 1.850
20303	63.00	38.00	1.20	2.300 - 2.600

Die No.	A	B	T	Wt.kg/12'
20304	63.00	38.00	1.45	2.800 - 3.100
20305	63.00	38.00	2.00	3.800 - 4.200
20211	63.50	58.00	1.50	3.500 - 3.800
20501	75.00	12.75	1.75	2.900 - 3.200
20505	75.00	12.75	2.00	3.300 - 3.500
20502	75.00	19.00	1.85	3.000 - 3.300
20503	75.00	25.00	1.50	2.900 - 3.200
20506	75.00	25.00	2.00	3.800 - 4.100
20504	75.00	38.00	1.75	3.800 - 4.100
20601	83.00	38.00	1.15	2.700 - 3.000
20404	100.00	12.75	3.00	6.500 - 7.000
20403	100.00	19.00	1.75	4.000 - 4.400
20401	100.00	24.00	1.20	2.800 - 3.200
20402	100.00	24.00	1.75	4.200 - 4.600
20407	101.00	44.50	1.40	3.800 - 4.200
20408	101.00	50.00	2.00	5.800 - 6.300
20702	125.00	25.00	0.90	2.800 - 3.200
20701	125.00	25.00	2.50	7.200 - 7.600
66121	127.00	25.40	6.35	17.70 - 18.70


Round Tube



Die No.	A	B	T	Wt.kg/12'
18112	7.80	6.00	0.90	0.190 - 0.220
18111	8.00	3.50	2.30	0.400 - 0.450
18126	9.50	6.90	1.30	0.300 - 0.350
18125	10.50	7.90	1.30	0.350 - 0.450
18124	13.00	9.90	1.55	0.500 - 0.700
18123	16.00	12.30	1.85	0.800 - 1.000
18122	17.00	13.20	1.90	0.900 - 1.100
18137	18.00	14.60	1.70	0.880 - 0.930
18136	18.00	15.00	1.50	0.780 - 0.830
18135	18.00	15.40	1.30	0.680 - 0.730
18143	18.00	15.60	1.20	0.600 - 0.700
18134	18.00	15.80	1.10	0.580 - 0.630
18107	18.00	16.20	0.90	0.480 - 0.530
18121	19.00	14.50	2.25	1.100 - 1.300
18140	19.00	15.00	2.00	1.050 - 1.200
18101	19.00	16.00	1.50	0.800 - 0.900
18114	19.00	17.00	1.00	0.550 - 0.650
18145	19.05	16.65	1.20	0.650 - 0.750
18120	21.00	16.60	2.20	1.300 - 1.500
18115	22.00	20.00	1.00	0.650 - 0.750
18144	22.23	19.83	1.20	0.750 - 0.850
18141	22.50	19.70	1.40	0.900 - 1.000
18147	24.00	17.30	3.35	2.100 - 2.300
18119	24.00	19.40	2.30	1.500 - 1.700
18110	24.50	21.90	1.30	0.950 - 1.100


Die No.	A	B	T	Wt.kg/12'
18139	25.00	21.00	2.00	1.450 - 1.650
18150	25.00	22.60	1.20	0.900 - 1.000
18108	25.00	23.00	1.00	0.750 - 0.850
18109	25.40	19.00	3.20	2.200 - 2.400
18118	28.00	22.60	2.70	2.100 - 2.300
18146	30.00	22.00	4.00	3.200 - 3.500
18133	30.00	28.00	1.00	0.900 - 1.000
18142	30.10	14.50	7.80	5.400 - 5.800
18117	31.00	24.80	3.10	2.200 - 2.400
66123	32.70	29.50	1.60	1.500 - 1.700
66124	34.00	29.50	2.25	2.200 - 2.500
18127	35.00	18.00	8.50	7.000 - 7.500
18113	35.00	31.00	2.00	2.000 - 2.200
18116	36.00	29.60	3.20	3.200 - 3.500
66146	39.00	31.00	4.00	4.400 - 4.800
18138	41.50	37.90	1.80	2.200 - 2.400
18102	43.00	18.00	12.50	12.00 - 12.50
18103	45.00	18.00	13.50	13.30 - 13.60
66144	48.30	39.70	4.30	6.000 - 6.500
18106	49.00	47.00	1.00	1.500 - 1.700
18104	50.00	41.00	4.50	6.400 - 6.600
18105	50.00	44.00	3.00	4.400 - 4.700
18149	76.00	70.00	3.00	6.850 - 7.250
18148	84.00	76.00	4.00	10.00 - 10.50
18151	160.00	152.00	4.00	19.60 - 20.60

Square Tube




Die No.	A	B	T	Wt.kg/12'
15101	12.00	12.00	0.45	0.220 - 0.250
15103	25.00	25.00	0.90	0.850 - 0.900
15106	25.00	25.00	2.00	1.900 - 2.200
15104	38.00	38.00	1.40	1.900 - 2.150
15107	50.00	50.00	1.00	2.000 - 2.300
15108	50.00	50.00	1.40	2.700 - 3.000
15105	50.00	50.00	1.65	3.100 - 3.500
15109	50.00	50.00	2.00	4.000 - 4.400

Hexagonal Tube




Die No.	A	B	T	Wt.kg/12'
62260	7.25	8.22	1.12	0.250 - 0.270


Oval Tube



Die No.	A	B	T	Wt.kg/12'
66145	40.00	21.00	3.50	3.200 - 3.500




Die No.	A	B	T	Wt.kg/12'
12101	18.00	12.00	0.6	0.180 - 0.200
12102 R	25.00	19.00	1.4	0.600 - 0.700
12103	38.00	25.00	2.75	1.600 - 1.800
12104	38.00	25.00	1.9	1.150 - 1.300
12105	38.00	19.00	2.6	1.500 - 1.700
12106	48.00	28.50	3.5	2.900 - 3.200
12108	50.00	25.00	1.70	1.200 - 1.400
12109	50.00	30.00	5.00	3.800 - 4.200
12107	60.00	25.00	4.00	3.300 - 3.600
12110	75.00	25.00	6.00	5.600 - 6.000



Die No.	A	B	T	Wt.kg/12'
14101	19.00	19.00	1.20	0.450 - 0.550
14110	20.00	20.00	3.00	1.050 - 1.150
14109	23.00	23.00	0.80	0.350 - 0.380
14102	25.00	25.00	1.30	0.650 - 0.700
14103	25.00	25.00	1.80	0.850 - 0.950
14104	25.00	25.00	3.00	1.500 - 1.700
14112	30.00	30.00	2.70	1.600 - 1.800
14113	32.00	32.00	2.70	1.700 - 1.900
14117	38.00	38.00	1.40	1.000 - 1.100


Die No.	A	B	T	Wt.kg/12'
14105	38.00	38.00	2.50	1.900 - 2.100
14106	38.00	38.00	4.00	2.900 - 3.100
14111	40.00	40.00	5.00	4.000 - 4.300
14116	50.00	50.00	2.00	1.900 - 2.100
14107	50.00	50.00	2.70	2.700 - 3.000
14115	50.00	50.00	4.00	3.900 - 4.200
14114	50.00	50.00	5.00	4.800 - 5.200
14108	50.00	50.00	5.50	5.400 - 5.800

Plain Tee




Die No.	A	B	T	Wt.kg/12'
13101	12.00	12.00	0.75	0.180 - 0.200
13108	18.00	18.00	0.65	0.230 - 0.250
13102	19.00	19.00	0.80	0.300 - 0.350
13103	19.00	19.00	1.25	0.470 - 0.525
13104	23.00	23.00	0.70	0.325 - 0.375
13105	25.00	25.00	0.90	0.425 - 0.475
13107	25.00	25.00	1.30	0.600 - 0.650
13106	25.00	25.00	1.50	0.700 - 0.750

Bulb Tee




Die No.	A	B	T	Wt.kg/12'
31101	25.00	38.00	1.10	0.750 - 0.850




Die No.	A	B	T	Wt.kg/12'
17101	9.50	9.50	0.65	0.180 - 0.200
17102	12.00	12.00	0.55	0.180 - 0.200
17116	12.00	12.00	0.70	0.230 - 0.250
17104	12.00	12.00	1.05	0.350 - 0.400
17114	15.00	15.00	1.20	0.500 - 0.600
17106	19.00	25.00	1.50	1.000 - 1.200
66128	22.22	19.05	1.58	0.850 - 0.950
17108	31.00	14.00	1.00	0.550 - 0.600
17111	42.00	25.00	1.90	1.700 - 1.900
17113	45.00	15.00	3.00	2.100 - 2.400
17107	45.00	15.00	4.00	2.800 - 3.200
17109	50.00	30.00	4.00	4.000 - 4.300
17115	50.00	30.00	5.00	5.000 - 5.500
66110	64.00	40.00	3.00	4.100 - 4.400
17110	100.0	50.00	5.00	9.500 - 10.00

Handle




Die No.	A	B	T	Wt.kg/12'
52101	40.00	18.00	0.70	0.900 - 1.100
52103	40.00	18.00	1.00	1.300 - 1.500
52104	40.00	18.00	1.55	2.000 - 2.300

Top Bottom




Die No.	A	B	T	Wt.kg/12'
52301	40.00	18.00	0.75	0.900 - 1.100
52303	40.00	18.00	1.00	1.300 - 1.500
52304	40.00	18.00	1.55	2.000 - 2.300

Interlock




Die No.	A	B	T	Wt.kg/12'
52201	40.00	18.00	0.65	1.100 - 1.300
52202	40.00	18.00	0.85	1.400 - 1.600
52204	40.00	18.00	1.35	2.000 - 2.300

Middle




Die No.	A	B	T	Wt.kg/12'
52401	40.00	18.00	0.70	0.900 - 1.100
52402	40.00	18.00	0.90	1.300 - 1.500

Top Bottom




Die No.	A	B	T	Wt.kg/12'
52809	51.00	18.00	1.00	1.600 - 1.800

Top Bottom Single Leg




Die No.	A	B	T	Wt.kg/12'
52305	40.00	18.00	1.05	1.200 - 1.400
52307	50.00	25.00	1.40	2.100 - 2.300

Handle




Die No.	A	B	T	Wt.kg/12'
52813	60.00	18.00	1.15	2.000 - 2.300

Top Bottom




Die No.	A	B	T	Wt.kg/12'
52811	60.00	18.00	1.15	2.000 - 2.300

Interlock




Die No.	A	B	T	Wt.kg/12'
52812	60.00	18.00	1.15	2.200 - 2.500

Two Track




Die No.	A	B	T	Wt.kg/12'
51100	61.50	31.50	0.70	1.500 - 1.700
51101	61.50	31.50	0.90	1.700 - 1.900
51102	61.50	31.50	1.45	2.700 - 3.000

Two Track Bottom




Die No.	A	B	T	Wt.kg/12'
51200	61.50	31.50	0.65	1.600 - 1.800
51201	61.50	31.50	0.85	1.800 - 2.000
51202	61.50	31.50	1.25	2.700 - 3.000

Three Track




Die No.	A	B	T	Wt.kg/12'
51300	92.00	31.00	0.75	1.900 - 2.100
51301	92.00	31.00	1.30	3.300 - 3.600
51302	92.00	31.00	1.60	4.100 - 4.500

Three Track Bottom




Die No.	A	B	T	Wt.kg/12'
51400	92.00	31.50	0.80	2.200 - 2.400
51401	92.00	31.50	1.20	3.400 - 3.800
51402	92.00	31.50	1.45	4.200 - 4.600

Three Track Top




Die No.	A	B	T	Wt.kg/12'
51305	92.00	31.50	1.10	2.800 - 3.100

Three Track Bottom




Die No.	A	B	T	Wt.kg/12'
51405	92.00	31.50	1.10	3.300 - 3.600

Handle




Die No.	A	B	T	Wt.kg/12'
52106	40.00	20.00	1.10	1.500 - 1.700

Top Bottom




Die No.	A	B	T	Wt.kg/12'
52306	40.00	20.00	1.10	1.600 - 1.800

Interlock




Die No.	A	B	T	Wt.kg/12'
52206	40.00	20.00	1.10	1.800 - 2.100

Two Track Top




Die No.	A	B	T	Wt.kg/12'
51501	75.00	25.00	1.25	2.400 - 2.600

Two Track Bottom




Die No.	A	B	T	Wt.kg/12'
51503	75.00	25.00	1.25	2.800 - 3.000

Three Track Top




Die No.	A	B	T	Wt.kg/12'
51505	116.00	25.00	1.25	3.400 - 3.700

Three Track Bottom




Die No.	A	B	T	Wt.kg/12'
51507	116.00	25.00	1.25	4.000 - 4.300

Top Bottom




Die No.	A	B	T	Wt.kg/12'
51509	60.00	25.00	1.25	2.500 - 2.800

Interlock




Die No.	A	B	T	Wt.kg/12'
51511	50.00	25.00	1.25	2.400 - 2.700

Two Track




Die No.	A	B	T	Wt.kg/12'
62129	45.00	45.00	1.35	2.900 - 3.200

Three Track



Die No.	A	B	T	Wt.kg/12'
62257	80.00	45.00	1.20	3.900 - 4.250
62130	80.00	45.00	1.35	4.600 - 4.900

Four Track




Die No.	A	B	T	Wt.kg/12'
62128	115.00	45.00	1.35	6.800 - 7.200

Handle




Die No.	A	B	T	Wt.kg/12'
62329	65.00	27.00	0.65	1.500 - 1.700
62258	65.00	27.00	1.20	2.400 - 2.650
62131	65.00	27.00	1.35	2.700 - 3.000

Interlocking Plate




Die No.	A	B	T	Wt.kg/12'
62134	39.50	28.50	1.20	1.000 - 1.200

Channel




Die No.	A	B	T	Wt.kg/12'
62135	12.50	10.50	1.05	0.300 - 0.400

Mono Rail




Die No.	A	B	T	Wt.kg/12'
62184	54.00	47.00	1.65	4.300 - 4.600

Sliding Mullion



Die No.	A	B	T	Wt.kg/12'
62185	67.00	32.00	1.50	3.800 - 4.200


Beading



Die No.	A	B	T	Wt.kg/12'
62186	17.30	19.75	1.10	0.500 - 0.600


35mm Domal Sliding Series

Two Track




Die No.	A	B	T	Wt.kg/12'
62308	70.00	42.50	1.40	4.400 - 4.700

DGU Meeting Addon



Die No.	A	B	T	Wt.kg/12'
62307	62.00	35.00	2.50	7.200 - 7.700


Two Track Bottom Fix



Die No.	A	B	T	Wt.kg/12'
62306	70.00	59.60	1.40	3.500 - 3.800


37mm Domal Sliding Series

Two Track




Die No.	A	B	T	Wt.kg/12'
62369	90.50	53.50	1.40	6.300 - 6.600

Handle




Die No.	A	B	T	Wt.kg/12'
62373	82.60	37.00	1.40	4.200 - 4.500

Interlock




Die No.	A	B	T	Wt.kg/12'
62374	52.00	44.00	1.20	1.900 - 2.200

Centrelocking




Die No.	A	B	T	Wt.kg/12'
62376	29.00	18.70	0.90	0.750 - 0.950

78-1 Top




Die No.	A	B	T	Wt.kg/12'
62162	78.00	35.00	1.00	2.000 - 2.200

78-2 Bottom




Die No.	A	B	T	Wt.kg/12'
62163	78.00	53.20	0.90	2.900 - 3.200

78-3 Side




Die No.	A	B	T	Wt.kg/12'
62170	81.00	38.00	1.05	1.750 - 1.950

78-4 Wheel Section




Die No.	A	B	T	Wt.kg/12'
62166	49.00	22.00	0.90	1.500 - 1.700

78-4 M




Die No.	A	B	T	Wt.kg/12'
62172	49.00	20.00	0.90	1.650 - 1.850

78-6 Lock




Die No.	A	B	T	Wt.kg/12'
62161	58.00	25.00	0.80	1.650 - 1.850

78-7 Interlock




Die No.	A	B	T	Wt.kg/12'
62165	47.50	31.75	0.85	1.650 - 1.850

78-9 Net Section



Die No.	A	B	T	Wt.kg/12'
62171	41.00	12.00	0.85	0.950 - 1.100

78-11 B




Die No.	A	B	T	Wt.kg/12'
62168	78.00	30.00	1.00	1.950 - 2.150

78-11 B Venti Clip




Die No.	A	B	T	Wt.kg/12'
62173	13.75	13.00	0.90	0.320 - 0.350

78-13




Die No.	A	B	T	Wt.kg/12'
62169	81.00	16.00	0.85	1.200 - 1.500

78-13D Plate




Die No.	A	B	T	Wt.kg/12'
62164	78.00	16.70	0.85	0.950 - 1.100


78-18A Venti Middle



Die No.	A	B	T	Wt.kg/12'
62167	78.00	25.00	1.10	3.000 - 3.300




Die No.	A	B	T	Wt.kg/12'
62237	87.00	17.90	1.00	1.100 - 1.300




Die No.	A	B	T	Wt.kg/12'
62241	50.00	35.50	1.00	2.700 - 2.900

90-1 Top




Die No.	A	B	T	Wt.kg/12'
62193	87.00	40.00	1.30	3.400 - 3.700
62240	87.00	40.00	1.00	2.700 - 3.200

90-2 Bottom




Die No.	A	B	T	Wt.kg/12'
62199	87.50	56.00	1.30	4.200 - 4.500
62234	87.50	56.00	1.00	3.400 - 3.800

90-3 Side




Die No.	A	B	T	Wt.kg/12'
62194	90.00	32.00	1.30	2.550 - 2.750
62239	90.00	32.00	1.00	2.000 - 2.300

90-4




Die No.	A	B	T	Wt.kg/12'
62197	60.00	27.01	1.30	2.300 - 2.500
62236	60.00	27.01	1.00	1.900 - 2.200

90-5




Die No.	A	B	T	Wt.kg/12'
62200	50.00	27.00	1.30	2.400 - 2.700
62233	50.00	27.00	1.00	1.800 - 2.100

90-6 Lock




Die No.	A	B	T	Wt.kg/12'
62198	62.30	30.60	1.30	2.750 - 3.000
62235	62.00	30.00	1.00	2.200 - 2.400

90-7




Die No.	A	B	T	Wt.kg/12'
62192	50.50	37.00	1.30	2.700 - 2.900
62232	49.90	36.00	1.00	2.000 - 2.300

90-11B




Die No.	A	B	T	Wt.kg/12'
62191	87.00	26.00	1.30	2.500 - 2.800
62242	87.00	26.00	1.00	2.000 - 2.400

90-13




Die No.	A	B	T	Wt.kg/12'
62195	90.00	15.00	1.30	1.750 - 1.850
62238	90.00	15.00	1.00	1.400 - 1.700

90-13D Plate




Die No.	A	B	T	Wt.kg/12'
62196	87.00	5.00	1.00	1.200 - 1.400

100 Door Chokat




Die No.	A	B	T	Wt.kg/12'
62243	102.00	45.00	1.50	3.600 - 4.000

100-2 Bottom




Die No.	A	B	T	Wt.kg/12'
62253	102.00	42.20	1.20	3.300 - 3.500

100-3 Side




Die No.	A	B	T	Wt.kg/12'
62251	102.00	44.30	1.00	2.800 - 3.100

100-4 Small Wheel




Die No.	A	B	T	Wt.kg/12'
62249	50.50	28.00	1.30	2.400 - 3.700

100-5 Big Wheel




Die No.	A	B	T	Wt.kg/12'
62248	76.00	28.00	1.30	2.900 - 3.200

100-6 Lock




Die No.	A	B	T	Wt.kg/12'
62250	62.50	31.00	1.30	2.700 - 3.000

100-7 Interlock




Die No.	A	B	T	Wt.kg/12'
62247	51.50	43.50	1.30	2.800 - 3.100

100-18 Top & Side




Die No.	A	B	T	Wt.kg/12'
62244	44.00	54.00	1.50	3.000 - 3.300

100-20 Vertical




Die No.	A	B	T	Wt.kg/12'
62245	46.50	50.50	1.50	3.100 - 3.400

100-21 Door Clip




Die No.	A	B	T	Wt.kg/12'
62246	14.00	15.00	0.80	0.450 - 0.500




Die No.	A	B	T	Wt.kg/12'
62252	102.00	44.50	1.20	3.700 - 4.100

Single Partition



Die No.	A	B	T	Wt.kg/12'
50101	63.00	38.00	0.80	1.750 - 1.950
50102	63.00	38.00	0.90	2.100 - 2.300
50103	63.00	38.00	1.35	2.800 - 3.000
50104	63.00	38.00	1.80	3.700 - 4.000
50105	63.00	38.00	2.60	5.200 - 5.600
50301	101.60	44.50	1.20	3.600 - 4.000
50302	101.60	44.50	1.75	5.000 - 5.300
50304	101.60	44.50	2.00	6.000 - 6.500
50303	101.60	44.50	2.80	8.000 - 8.500
50305	101.60	44.50	3.15	9.300 - 9.600

Double Partition




Die No.	A	B	T	Wt.kg/12'
50201	63.00	38.00	0.75	1.750 - 1.950
50202	63.00	38.00	0.90	2.100 - 2.300
50203	63.00	38.00	1.25	2.800 - 3.000
50204	63.00	38.00	1.70	3.700 - 4.000
50205	63.00	38.00	2.50	5.200 - 5.600
50401	101.60	44.50	1.10	3.600 - 4.000
50402	101.60	44.50	1.60	5.000 - 5.300
50404	101.60	44.50	2.00	6.000 - 6.500
50403	101.60	44.50	2.70	8.000 - 8.500
50405	101.60	44.50	3.15	9.300 - 9.600

Glazing Clip




Die No.	A	B	T	Wt.kg/12'
41101	17.25	16.50	0.45	0.200 - 0.220
41102	17.25	16.50	0.55	0.250 - 0.275
41103	17.25	16.50	0.65	0.300 - 0.375
41104	17.25	16.50	0.90	0.390 - 0.425
41105	17.25	16.50	1.05	0.450 - 0.500

Glazing Plate




Die No.	A	B	T	Wt.kg/12'
45103	42.00	3.00	0.45	0.380 - 0.420

Corner




Die No.	A	B	T	Wt.kg/12'
52808	63.50	63.50	1.10	3.200 - 3.500

Plain Top




Die No.	A	B	T	Wt.kg/12'
50610	44.45	47.00	1.05	2.000 - 2.300
50611	44.45	47.00	1.50	2.800 - 3.000
50612	44.45	47.00	2.00	3.600 - 3.800
50613	44.45	47.00	3.00	5.200 - 5.500
50601	44.45	83.00	1.35	3.500 - 3.900
50602	44.45	83.00	2.00	5.100 - 5.500
50603	44.45	83.00	2.75	6.600 - 7.000

Door Top




Die No.	A	B	T	Wt.kg/12'
50510	44.45	47.00	1.05	2.000 - 2.200
50511	44.45	47.00	1.50	3.000 - 3.300
50512	44.45	47.00	2.00	3.600 - 3.800
50513	44.45	47.00	2.60	4.900 - 5.200
50501	44.45	83.00	1.30	3.600 - 4.000
50502	44.45	83.00	1.90	5.000 - 5.300
50503	44.45	83.00	2.65	6.000 - 6.300
50505	44.45	114.0	1.20	3.600 - 3.800
50506	44.45	114.0	1.55	5.000 - 5.500
50507	44.45	114.0	2.80	8.500 - 9.500
50516	44.45	150.0	1.75	6.700 - 7.200

Door Middle




Die No.	A	B	T	Wt.kg/12'
50607	44.45	47.00	0.90	2.000 - 2.200
50608	44.45	47.00	1.40	3.000 - 3.300
50605	44.45	83.00	1.30	3.500 - 3.900
50606	44.45	83.00	1.90	5.100 - 5.500
50620	44.45	83.00	3.00	7.000 - 7.500
50616	44.45	150.0	1.70	6.900 - 7.300

Door Vertical




Die No.	A	B	T	Wt.kg/12'
50705	44.45	47.00	1.00	2.200 - 2.500
50706	44.45	47.00	1.50	3.000 - 3.200
50707	44.45	47.00	3.00	5.200 - 5.300
50701	44.45	83.00	1.45	3.800 - 4.000
50702	44.45	83.00	2.00	5.100 - 5.400
50703	44.45	83.00	3.00	7.000 - 7.500

Bottom Single Leg




Die No.	A	B	T	Wt.kg/12'
50520	44.45	47.00	1.45	2.600 - 2.800

Single Partition




Die No.	A	B	T	Wt.kg/12'
62177	63.50	38.10	0.80	1.800 - 2.000

Double Partition




Die No.	A	B	T	Wt.kg/12'
62176	63.50	38.10	0.80	2.000 - 2.200

Door Top




Die No.	A	B	T	Wt.kg/12'
62180	45.00	48.00	0.80	1.800 - 2.000

Door Middle



Die No.	A	B	T	Wt.kg/12'
62179	45.00	48.00	0.80	2.000 - 2.300

Door Vertical




Die No.	A	B	T	Wt.kg/12'
62181	45.00	48.92	0.80	1.800 - 2.000


Glazing Clip



Die No.	A	B	T	Wt.kg/12'
62178	17.00	17.00	0.50	0.250 - 0.280




Die No.	A	B	T	Wt.kg/12'
62403	50.00	25.00	1.50	2.300 - 2.600



Die No.	A	B	T	Wt.kg/12'
62404	75.00	40.00	1.70	4.600 - 5.000


Shutter Square Profile

Handle




Die No.	A	B	T	Wt.kg/12'
52501	50.00	25.00	0.80	1.400 - 1.600
52502	50.00	25.00	1.30	2.200 - 2.500
52503	50.00	25.00	1.00	1.800 - 2.000
52504	50.00	25.00	1.70	3.000 - 3.300
62119	75.00	25.00	0.85	2.100 - 2.400
62120	75.00	25.00	1.30	3.000 - 3.300

Middle




Die No.	A	B	T	Wt.kg/12'
52701	50.00	25.00	0.80	1.400 - 1.600
52702	50.00	25.00	1.20	2.200 - 2.500
52704	50.00	25.00	1.70	3.000 - 3.300
62124	75.00	25.00	0.90	2.200 - 2.500
62125	75.00	25.00	1.30	2.900 - 3.200

Top Bottom




Die No.	A	B	T	Wt.kg/12'
52601	50.00	25.00	0.80	1.400 - 1.600
52602	50.00	25.00	1.30	2.200 - 2.500
52603	50.00	25.00	1.70	3.000 - 3.300
62122	75.00	25.00	0.85	2.100 - 2.300
62123	75.00	25.00	1.30	2.900 - 3.200

Top Bottom Single Leg




Die No.	A	B	T	Wt.kg/12'
52604	50.00	25.00	0.80	1.400 - 1.600

Handle




Die No.	A	B	T	Wt.kg/12'
62189	30.00	11.00	0.45	0.350 - 0.400

Handle




Die No.	A	B	T	Wt.kg/12'
62110	60.00	26.00	0.85	1.800 - 2.000
62111	60.00	26.00	1.50	2.800 - 3.000
62101	80.00	26.00	0.85	2.100 - 2.400
62102	80.00	26.00	1.30	2.900 - 3.200

Middle




Die No.	A	B	T	Wt.kg/12'
62113	60.00	26.00	0.85	1.800 - 2.000
62114	60.00	26.00	1.50	2.900 - 3.100
62107	80.00	26.00	0.85	2.100 - 2.400
62108	80.00	26.00	1.20	2.900 - 3.200

Top Bottom




Die No.	A	B	T	Wt.kg/12'
62116	60.00	26.00	0.85	1.800 - 2.000
62117	60.00	26.00	1.50	2.900 - 3.200
62104	80.00	26.00	0.85	2.100 - 2.400
62105	80.00	26.00	1.25	2.900 - 3.200

Top Bottom Single Leg




Die No.	A	B	T	Wt.kg/12'
62118	60.00	26.00	0.85	1.800 - 2.000
62106	80.00	26.00	1.25	3.000 - 3.200

Handle




Die No.	A	B	T	Wt.kg/12'
62188	45.00	16.00	0.45	0.550 - 0.600

Middle




Die No.	A	B	T	Wt.kg/12'
62212	70.00	16.00	0.50	0.900 - 1.000

Frame




Die No.	A	B	T	Wt.kg/12'
62139	44.50	33.00	1.20	1.700 - 1.900

Shutter




Die No.	A	B	T	Wt.kg/12'
62141	43.50	49.50	1.10	1.800 - 2.000

Mullion




Die No.	A	B	T	Wt.kg/12'
62140	65.50	38.00	1.20	2.500 - 2.800

Beading




Die No.	A	B	T	Wt.kg/12'
62138	21.00	15.50	0.90	0.525 - 0.575

Frame




Die No.	A	B	T	Wt.kg/12'
62133	39.00	40.00	1.20	1.900 - 2.100

Window Shutter/Mullion




Die No.	A	B	T	Wt.kg/12'
62132	53.50	40.00	1.40	2.500 - 2.700

Door Shutter/Mullion




Die No.	A	B	T	Wt.kg/12'
62334	50.50	40.00	1.50	3.000 - 3.300
62333	70.00	40.00	1.50	3.400 - 3.700
62190	70.50	40.00	1.30	3.000 - 3.300

Beading




Die No.	A	B	T	Wt.kg/12'
62136	32.00	17.50	0.85	0.650 - 0.700

Frame




Die No.	A	B	T	Wt.kg/12'
62314	69.50	41.00	1.80	3.800 - 4.100

Shutter




Die No.	A	B	T	Wt.kg/12'
62312	55.80	62.20	1.80	4.100 - 4.400

Mullion




Die No.	A	B	T	Wt.kg/12'
62313	69.50	61.50	1.80	4.900 - 5.300

Beading




Die No.	A	B	T	Wt.kg/12'
62315	18.50	23.50	1.00	0.640 - 0.700

Frame




Die No.	A	B	T	Wt.kg/12'
62147	124.00	60.00	2.50	5.800 - 6.000

Glass Shutter




Die No.	A	B	T	Wt.kg/12'
62146	42.00	46.00	1.70	2.500 - 2.800

Mesh Shutter



Die No.	A	B	T	Wt.kg/12'
62144	42.00	47.00	2.50	2.600 - 2.900

Mullion




Die No.	A	B	T	Wt.kg/12'
62143	124.00	50.00	2.50	9.900 - 10.300


Beading




Die No.	A	B	T	Wt.kg/12'
62145	33.00	10.30	1.20	0.600 - 0.800




Die No.	A	B	T	Wt.kg/12'
62370	67.00	51.00	1.40	3.800 - 4.100




Die No.	A	B	T	Wt.kg/12'
62371	46.00	51.00	1.40	3.000 - 3.300




Die No.	A	B	T	Wt.kg/12'
62372	90.30	57.50	1.40	4.300 - 4.600




Die No.	A	B	T	Wt.kg/12'
62375	19.30	25.00	1.10	0.800 - 0.950




Die No.	A	B	T	Wt.kg/12'
62377	92.00	58.00	1.40	4.500 - 4.800




Die No.	A	B	T	Wt.kg/12'
62378	32.00	25.50	1.20	1.100 - 1.300




Die No.	A	B	T	Wt.kg/12'
62387	50.00	46.10	1.40	3.000 - 3.300




Die No.	A	B	T	Wt.kg/12'
62388	66.00	50.00	1.50	3.700 - 4.000




Die No.	A	B	T	Wt.kg/12'
62389	78.50	57.93	1.50	4.100 - 4.500




Die No.	A	B	T	Wt.kg/12'
62390	73.20	50.00	1.52	4.000 - 4.300




Die No.	A	B	T	Wt.kg/12'
62391	95.80	58.00	1.70	5.700 - 6.100



Die No.	A	B	T	Wt.kg/12'
62392	92.50	58.00	1.44	4.700 - 5.000




Die No.	A	B	T	Wt.kg/12'
62393	100.00	50.00	1.80	6.500 - 7.000




Die No.	A	B	T	Wt.kg/12'
62394	32.00	24.50	1.17	1.100 - 1.300

C-Profile




Die No.	A	B	T	Wt.kg/12'
61101	62.00	32.00	1.35	1.650 - 1.800
61102	62.00	32.00	2.00	2.200 - 2.500
61103	62.00	32.00	2.75	3.400 - 3.700

C-Profile




Die No.	A	B	T	Wt.kg/12'
61107	66.00	31.40	1.30	1.500 - 1.700
61108	66.00	31.40	1.70	2.100 - 2.300
61109	66.00	31.40	2.50	3.000 - 3.300

Step Profile




Die No.	A	B	T	Wt.kg/12'
61110	65.00	30.00	1.00	1.500 - 1.700

Step Profile




Die No.	A	B	T	Wt.kg/12'
61106	65.00	30.00	1.00	1.800 - 2.000


Round Fluted Pipe




Die No.	A	B	T	Wt.kg/12'
61104	25.00	22.20	1.05	1.000 - 1.200
61105	25.00	20.50	1.75	1.400 - 1.500




Die No.	A	B	T	Wt.kg/12'
20107	33.00	22.00	0.70	0.700 - 0.800




Die No.	A	B	T	Wt.kg/12'
20210	50.00	21.00	0.90	1.200 - 1.400




Die No.	A	B	T	Wt.kg/12'
20801	33.00	20.00	1.15	1.150 - 1.350



Die No.	A	B	T	Wt.kg/12'
20802	50.00	20.00	1.15	1.200 - 1.500




Die No.	A	B	T	Wt.kg/12'
60129	27.00	27.00	1.65	0.900 - 1.100




Die No.	A	B	T	Wt.kg/12'
61111	79.70	35.00	1.30	2.000 - 2.200

D Step




Die No.	A	B	T	Wt.kg/12'
61112	37.00	30.00	1.60	1.700 - 2.000

Ladder U




Die No.	A	B	T	Wt.kg/12'
61113	78.50	28.00	2.00	3.200 - 3.500

Ladder U Step




Die No.	A	B	T	Wt.kg/12'
61114	76.00	33.00	2.00	2.400 - 2.700




Die No.	A	B	T	Wt.kg/12'
61115	88.50	38.50	1.20	2.400 - 2.700


P-Type Profile




Die No.	A	B	T	Wt.kg/12'
52804	62.00	42.00	0.60	1.200 - 1.350




Die No.	A	B	T	Wt.kg/12'
52810	54.00	44.00	0.50	0.900 - 0.950




Die No.	A	B	T	Wt.kg/12'
52802	38.00	24.00	0.80	0.900 - 1.100




Die No.	A	B	T	Wt.kg/12'
52801	45.00	24.00	0.85	1.200 - 1.400




Die No.	A	B	T	Wt.kg/12'
52803	53.50	27.50	0.90	1.400 - 1.600




Die No.	A	B	T	Wt.kg/12'
52805	67.00	42.00	0.90	2.000 - 2.300
52806	67.00	42.00	1.30	2.900 - 3.200




Die No.	A	B	T	Wt.kg/12'
52807	108.00	53.50	1.95	6.500 - 7.000




Die No.	A	B	T	Wt.kg/12'
50801	63.00	50.00	1.25	3.000 - 3.400
50802	63.00	50.00	3.00	6.500 - 7.000



Die No.	A	B	T	Wt.kg/12'
52814	107.80	46.30	3.20	9.400 - 9.800




Die No.	A	B	T	Wt.kg/12'
62126	45.00	47.00	1.00	2.000 - 2.300
62127	50.00	50.00	1.05	2.200 - 2.500
62137	50.00	50.00	1.50	3.000 - 3.300



Die No.	A	B	T	Wt.kg/12'
62215	58.00	63.50	1.50	4.000 - 4.500

Single Nose




Die No.	A	B	T	Wt.kg/12'
62227	60.00	50.00	1.00	2.500 - 2.800

Pressure Plate




Die No.	A	B	T	Wt.kg/12'
62254	53.00	10.00	2.00	1.600 - 1.800




Die No.	A	B	T	Wt.kg/12'
62256	101.50	57.00	2.50	8.200 - 8.500

Cap




Die No.	A	B	T	Wt.kg/12'
62255	57.00	18.50	1.20	1.200 - 1.400

Double Nose




Die No.	A	B	T	Wt.kg/12'
62175	60.00	50.00	1.00	2.850 - 3.100




Die No.	A	B	T	Wt.kg/12'
62331	63.50	63.50	3.00	8.500 - 9.000

Palmet




Die No.	A	B	T	Wt.kg/12'
62149	74.50	70.00	0.90	1.900 - 2.100

Palmet




Die No.	A	B	T	Wt.kg/12'
62150	70.00	80.00	1.15	1.900 - 2.100




Die No.	A	B	T	Wt.kg/12'
62151	39.50	37.70	0.90	1.100 - 1.300

38mm Roll Top




Die No.	A	B	T	Wt.kg/12'
62152	39.50	37.70	0.90	1.100 - 1.300

Roman




Die No.	A	B	T	Wt.kg/12'
62153	30.00	36.00	0.80	0.900 - 1.100

Vertical Top




Die No.	A	B	T	Wt.kg/12'
62154	44.00	26.00	0.80	0.950 - 1.100

Arabian Channel



Die No.	A	B	T	Wt.kg/12'
62155	22.50	40.50	1.20	1.400 - 1.600

Tubeless Roman




Die No.	A	B	T	Wt.kg/12'
62156	31.50	43.00	1.00	1.200 - 1.400

Rollar Bottom




Die No.	A	B	T	Wt.kg/12'
62157	21.50	21.00	0.90	0.800 - 1.000

M-Track




Die No.	A	B	T	Wt.kg/12'
62158	21.75	16.50	0.85	0.500 - 0.600

Triangle Zebra Bottom




Die No.	A	B	T	Wt.kg/12'
62159	13.50	24.50	1.00	0.650 - 0.750

Arabian Channel




Die No.	A	B	T	Wt.kg/12'
62209	24.08	11.19	1.10	0.650 - 0.750

Oval Bottom




Die No.	A	B	T	Wt.kg/12'
62218	31.80	16.10	0.80	0.900 - 1.000

Round Zebra Bottom



Die No.	A	B	T	Wt.kg/12'
62261	15.50	9.00	1.20	0.550 - 0.650




Die No.	A	B	T	Wt.kg/12'
62359	72.00	85.00	0.90	2.200 - 2.500




Die No.	A	B	T	Wt.kg/12'
62360	28.00	15.20	0.90	1.000 - 1.200


Heat Sink Profile




Die No.	A	B	T	Wt.kg/12'
63101	54.00	14.00	1.30	1.700 - 1.800




Die No.	A	B	T	Wt.kg/12'
63102	23.50	16.00	0.90	0.900 - 1.000




Die No.	A	B	T	Wt.kg/12'
63103	43.50	12.00	1.00	1.400 - 1.500




Die No.	A	B	T	Wt.kg/12'
63104	100.0	23.00	1.30	5.100 - 5.400




Die No.	A	B	T	Wt.kg/12'
63105	131.0	18.00	2.20	5.200 - 5.400




Die No.	A	B	T	Wt.kg/12'
63106	142.0	17.70	2.00	6.100 - 6.400




Die No.	A	B	T	Wt.kg/12'
63107	106.0	43.00	5.50	13.30 - 13.60
63108	106.0	43.00	4.50	12.30 - 12.60




Die No.	A	B	T	Wt.kg/12'
63109	49.00	16.00	1.10	1.600 - 1.800




Die No.	A	B	T	Wt.kg/12'
63110	15.00	10.50	0.80	0.475 - 0.525




Die No.	A	B	T	Wt.kg/12'
63111	34.00	14.80	1.40	2.200 - 2.500




Die No.	A	B	T	Wt.kg/12'
63112	47.00	15.00	1.35	3.200 - 3.500




Die No.	A	B	T	Wt.kg/12'
63113	65.00	16.50	1.70	3.000 - 3.500




Die No.	A	B	T	Wt.kg/12'
63114	58.10	34.00	3.90	6.400 - 6.800




Die No.	A	B	T	Wt.kg/12'
63115	58.00	31.40	2.40	4.700 - 5.200




Die No.	A	B	T	Wt.kg/12'
63116	33.00	11.00	0.80	1.200 - 1.300




Die No.	A	B	T	Wt.kg/12'
63117	95.00	32.00	2.00	13.50 - 14.00




Die No.	A	B	T	Wt.kg/12'
63118	34.50	59.95	1.81	6.000 - 6.500




Die No.	A	B	T	Wt.kg/12'
63119	106.0	43.00	3.61	11.50 - 12.00




Die No.	A	B	T	Wt.kg/12'
63120	57.80	34.20	3.70	6.600 - 6.900




Die No.	A	B	T	Wt.kg/12'
63121	98.50	32.00	2.35	15.00 - 15.50




Die No.	A	B	T	Wt.kg/12'
63122	70.00	48.00	1.70	18.00 - 19.00



Die No.	A	B	T	Wt.kg/12'
63123	67.00	89.50	5.50	13.00 - 13.50




Die No.	A	B	T	Wt.kg/12'
63124	58.15	34.00	4.50	6.800 - 7.400




Die No.	A	B	T	Wt.kg/12'
63125	57.00	33.00	4.50	6.500 - 9.900


Heat Sink Profile




Die No.	A	B	T	Wt.kg/12'
63126	57.20	32.50	5.60	5.700 - 6.200




Die No.	A	B	T	Wt.kg/12'
63127	126.00	70.00	15.40	37.50 - 38.50




Die No.	A	B	T	Wt.kg/12'
63128	100.00	23.00	1.50	4.700 - 5.100




Die No.	A	B	T	Wt.kg/12'
63129	57.50	31.50	1.70	4.000 - 4.500




Die No.	A	B	T	Wt.kg/12'
63130	57.00	40.00	1.50	11.00 - 11.50




Die No.	A	B	T	Wt.kg/12'
63131	33.50	13.50	1.00	1.300 - 1.500




Die No.	A	B	T	Wt.kg/12'
63132	70.00	19.00	1.85	4.900 - 5.300




Die No.	A	B	T	Wt.kg/12'
63133	56.00	16.00	1.40	2.300 - 3.000




Die No.	A	B	T	Wt.kg/12'
63134	24.17	15.22	1.50	1.400 - 1.600




Die No.	A	B	T	Wt.kg/12'
63135	131.00	22.50	2.20	4.700 - 5.000




Die No.	A	B	T	Wt.kg/12'
63136	90.64	32.24	4.35	0.270 - 0.300




Die No.	A	B	T	Wt.kg/12'
63137	85.00	31.50	3.50	11.40 - 11.90




Die No.	A	B	T	Wt.kg/12'
63138	136.00	20.00	1.20	4.900 - 5.300




Die No.	A	B	T	Wt.kg/12'
63139	200.00	20.00	1.50	7.500 - 8.000




Die No.	A	B	T	Wt.kg/12'
63140	88.00	33.00	3.70	9.300 - 9.800




Die No.	A	B	T	Wt.kg/12'
63141	56.00	15.50	1.50	1.700 - 2.000




Die No.	A	B	T	Wt.kg/12'
63142	57.00	31.00	2.10	4.700 - 5.200




Die No.	A	B	T	Wt.kg/12'
63143	83.00	58.00	3.95	13.80 - 14.30




Die No.	A	B	T	Wt.kg/12'
63144	117.00	65.00	6.00	23.00 - 24.00




Die No.	A	B	T	Wt.kg/12'
63145	90.30	31.40	3.70	11.70 - 12.20




Die No.	A	B	T	Wt.kg/12'
63146	50.00	17.00	4.00	4.000 - 4.500



Die No.	A	B	T	Wt.kg/12'
63147	106.00	42.49	3.11	10.00 - 10.50




Die No.	A	B	T	Wt.kg/12'
63148	32.00	10.40	0.60	0.950 - 1.100




Die No.	A	B	T	Wt.kg/12'
63149	15.00	10.55	1.05	0.550 - 0.650


Heat Sink Profile




Die No.	A	B	T	Wt.kg/12'
63150	58.20	34.00	4.90	6.800 - 7.300




Die No.	A	B	T	Wt.kg/12'
63151	98.54	32.04	6.91	15.30 - 15.80




Die No.	A	B	T	Wt.kg/12'
63152	46.50	34.00	4.00	4.500 - 4.800




Die No.	A	B	T	Wt.kg/12'
63153	78.00	32.20	4.60	9.000 - 9.500




Die No.	A	B	T	Wt.kg/12'
63154	112.50	66.00	7.70	25.50 - 26.50



Die No.	A	B	T	Wt.kg/12'
63155	69.70	27.20	4.80	6.500 - 7.000



Die No.	A	B	T	Wt.kg/12'
63156	84.50	18.00	3.50	5.800 - 6.300




Die No.	A	B	T	Wt.kg/12'
63157	41.10	23.50	4.60	3.800 - 4.100

H-Profile




Die No.	A	B	T	Wt.kg/12'
60101	22.00	12.00	0.80	0.820 - 0.850
60102	22.00	12.00	1.00	0.950 - 1.000

F-Profile




Die No.	A	B	T	Wt.kg/12'
60103	35.50	16.50	0.70	0.680 - 0.725
60104	35.50	16.50	1.00	0.900 - 0.950

Rub Rail




Die No.	A	B	T	Wt.kg/12'
60109	50.00	13.50	1.50	1.150 - 1.300

Mercury/Tata Gola



Die No.	A	B	T	Wt.kg/12'
60108	121.00	16.50	1.00	1.600 - 1.800

Elephanta




Die No.	A	B	T	Wt.kg/12'
60105	120.00	4.50	0.55	0.750 - 0.800
60106	120.00	4.50	0.70	0.900 - 1.000
60107	120.00	4.50	0.95	1.000 - 1.200

Cut Rod



Die No.	A	B	T	Wt.kg/12'
60127	10.50	9.00	2.40	0.280 - 0.320

Chabi Gola




Die No.	A	B	T	Wt.kg/12'
60110	47.00	10.00	0.55	0.370 - 0.410
60111	47.00	10.00	0.75	0.550 - 0.600
60112	47.00	10.00	1.20	0.800 - 0.850

Chabi Gola




Die No.	A	B	T	Wt.kg/12'
60113	29.50	6.00	1.10	0.575 - 0.620

Chabi Gola




Die No.	A	B	T	Wt.kg/12'
60118	31.00	3.80	0.65	0.280 - 0.320

Bus Gola




Die No.	A	B	T	Wt.kg/12'
60120	22.00	2.60	0.75	0.180 - 0.200

Step Edging




Die No.	A	B	T	Wt.kg/12'
60116	38.00	12.00	1.35	0.700 - 0.750

Step Edging




Die No.	A	B	T	Wt.kg/12'
60117	55.50	15.50	1.25	1.000 - 1.100

J-Cutter




Die No.	A	B	T	Wt.kg/12'
60119	51.00	23.00	0.70	0.650 - 0.750

Fluted Patti




Die No.	A	B	T	Wt.kg/12'
60121	32.00	3.45	1.25	0.500 - 0.550
60122	32.00	3.45	1.35	0.600 - 0.650
60123	32.00	3.45	1.90	0.800 - 0.850

DJ Angle



Die No.	A	B	T	Wt.kg/12'
60128	30.00	30.00	1.40	0.700 - 0.750

DJ Angle




Die No.	A	B	T	Wt.kg/12'
60126	30.00	30.00	1.00	0.500 - 0.550

Taper Patti




Die No.	A	B	T	Wt.kg/12'
10101	25.00	-	1.45	0.350 - 0.450


Wall Face




Die No.	A	B	T	Wt.kg/12'
60114	42.00	7.00	0.55	0.260 - 0.300
60115	42.00	7.00	0.75	0.380 - 0.425




Die No.	A	B	T	Wt.kg/12'
62379	40.60	20.97	1.50	1.600 - 1.800




Die No.	A	B	T	Wt.kg/12'
62380	132.50	43.50	1.20	5.200 - 5.600




Die No.	A	B	T	Wt.kg/12'
62381	85.00	36.20	1.00	2.300 - 2.600




Die No.	A	B	T	Wt.kg/12'
62382	85.10	37.50	1.20	3.300 - 3.600




Die No.	A	B	T	Wt.kg/12'
62383	105.00	18.00	1.05	2.700 - 3.000




Die No.	A	B	T	Wt.kg/12'
62384	126.85	68.39	1.50	3.200 - 3.500



Die No.	A	B	T	Wt.kg/12'
62396	107.00	15.50	1.00	2.700 - 3.000




Die No.	A	B	T	Wt.kg/12'
62397	115.00	27.00	1.20	2.700 - 3.000




Die No.	A	B	T	Wt.kg/12'
62398	115.50	25.70	1.20	2.700 - 3.000

Mono Rail




Die No.	A	B	T	Wt.kg/12'
62202	75.00	40.00	2.50	4.400 - 4.500

Z-Clamp




Die No.	A	B	T	Wt.kg/12'
62203	23.00	38.60	3.00	2.000 - 2.200

T-Nut



Die No.	A	B	T	Wt.kg/12'
62204	26.00	9.00	-	1.800 - 2.000

Mid Clamp




Die No.	A	B	T	Wt.kg/12'
62205	46.00	23.50	2.00	2.900 - 3.200

Leg




Die No.	A	B	T	Wt.kg/12'
62206	58.00	17.00	2.00	1.700 - 1.900


Top Rail




Die No.	A	B	T	Wt.kg/12'
62207	70.00	18.00	2.00	2.100 - 2.300




Die No.	A	B	T	Wt.kg/12'
62348	35.00	30.00	1.50	1.500 - 1.700




Die No.	A	B	T	Wt.kg/12'
62349	35.00	20.00	1.00	1.000 - 1.200




Die No.	A	B	T	Wt.kg/12'
62350	22.00	18.00	1.00	0.850 - 1.000



Die No.	A	B	T	Wt.kg/12'
62351	35.00	35.00	1.20	1.500 - 1.700



Die No.	A	B	T	Wt.kg/12'
62352	35.00	15.00	1.20	1.200 - 1.400




Die No.	A	B	T	Wt.kg/12'
62353	40.00	40.00	2.60	2.300 - 2.500

Bottom Rail




Die No.	A	B	T	Wt.kg/12'
62208	110.00	22.00	2.00	3.000 - 3.300


C-Channel




Die No.	A	B	T	Wt.kg/12'
62201	40.00	40.00	2.00	2.700 - 3.000




Die No.	A	B	T	Wt.kg/12'
62286	30.00	29.05	1.50	2.000 - 2.200




Die No.	A	B	T	Wt.kg/12'
62287	68.50	61.00	1.30	3.100 - 3.400




Die No.	A	B	T	Wt.kg/12'
62288	36.60	26.50	3.00	2.500 - 2.800




Die No.	A	B	T	Wt.kg/12'
62303	46.00	28.70	4.00	3.500 - 3.700




Die No.	A	B	T	Wt.kg/12'
62304	42.80	34.00	2.70	1.900 - 2.100




Die No.	A	B	T	Wt.kg/12'
62216	50.00	80.00	1.20	1.700 - 1.800




Die No.	A	B	T	Wt.kg/12'
62217	47.70	9.40	1.00	1.000 - 1.200




Die No.	A	B	T	Wt.kg/12'
62219	17.20	15.60	0.85	0.350 - 0.400




Die No.	A	B	T	Wt.kg/12'
62220	19.00	15.50	0.85	0.350 - 0.400




Die No.	A	B	T	Wt.kg/12'
62221	96.50	20.50	1.05	1.500 - 1.700




Die No.	A	B	T	Wt.kg/12'
62222	15.50	5.50	0.85	0.230 - 0.260




Die No.	A	B	T	Wt.kg/12'
62223	30.00	30.00	1.40	2.100 - 2.400




Die No.	A	B	T	Wt.kg/12'
62224	68.00	27.30	1.40	2.500 - 2.800




Die No.	A	B	T	Wt.kg/12'
62225	80.00	28.50	1.50	2.500 - 2.800




Die No.	A	B	T	Wt.kg/12'
62226	62.00	42.20	1.40	2.700 - 3.000



Die No.	A	B	T	Wt.kg/12'
62228	45.00	32.00	1.20	1.400 - 1.600




Die No.	A	B	T	Wt.kg/12'
62229	45.00	18.00	1.20	1.100 - 1.300




Die No.	A	B	T	Wt.kg/12'
62230	19.00	8.00	1.00	0.400 - 0.500




Die No.	A	B	T	Wt.kg/12'
62274	44.00	6.00	1.30	0.750 - 0.850




Die No.	A	B	T	Wt.kg/12'
62275	26.00	1.00	-	0.300 - 0.350




Die No.	A	B	T	Wt.kg/12'
62276	17.00	3.30	1.00	0.200 - 0.250




Die No.	A	B	T	Wt.kg/12'
62277	57.00	62.00	2.00	3.500 - 3.800




Die No.	A	B	T	Wt.kg/12'
62280	38.40	18.50	1.00	0.900 - 1.000



Die No.	A	B	T	Wt.kg/12'
62281	52.00	8.53	1.30	1.200 - 1.300




Die No.	A	B	T	Wt.kg/12'
62282	38.80	12.00	1.00	1.000 - 1.100




Die No.	A	B	T	Wt.kg/12'
62283	50.00	42.70	0.90	1.100 - 1.200




Die No.	A	B	T	Wt.kg/12'
62284	22.00	9.40	1.00	0.600 - 0.650




Die No.	A	B	T	Wt.kg/12'
62301	16.00	6.50	1.00	0.280 - 0.320




Die No.	A	B	T	Wt.kg/12'
62311	19.50	27.00	1.00	0.550 - 0.650



Die No.	A	B	T	Wt.kg/12'
62395	35.20	4.60	1.20	0.470 - 0.500



Die No.	A	B	T	Wt.kg/12'
62401	70.00	70.00	1.70	3.900 - 4.200



Die No.	A	B	T	Wt.kg/12'
62290	60.00	18.80	1.40	1.400 - 1.600



Die No.	A	B	T	Wt.kg/12'
62291	60.00	28.30	1.20	1.700 - 1.900




Die No.	A	B	T	Wt.kg/12'
62294	60.00	25.00	1.00	1.300 - 1.500




Die No.	A	B	T	Wt.kg/12'
62297	60.00	11.50	1.00	0.850 - 1.000



Die No.	A	B	T	Wt.kg/12'
62323	44.80	17.80	1.10	0.900 - 1.100




Die No.	A	B	T	Wt.kg/12'
62324	45.00	25.20	1.20	1.300 - 1.500




Die No.	A	B	T	Wt.kg/12'
62325	45.00	28.60	1.00	1.300 - 1.500




Die No.	A	B	T	Wt.kg/12'
62326	45.00	15.60	1.20	0.900 - 1.100



Die No.	A	B	T	Wt.kg/12'
62187	15.30	19.70	0.35	0.270 - 0.300




Die No.	A	B	T	Wt.kg/12'
62160	19.00	25.50	0.35	0.370 - 0.420




Die No.	A	B	T	Wt.kg/12'
62262	16.90	17.00	0.40	0.220 - 0.250

Door Jack




Die No.	A	B	T	Wt.kg/12'
62210	55.00	60.00	2.20	4.500 - 4.800

Door Top Fixing




Die No.	A	B	T	Wt.kg/12'
62211	101.00	100.00	1.80	6.000 - 6.500

Door Female




Die No.	A	B	T	Wt.kg/12'
62214	98.00	40.00	1.80	4.100 - 4.500

Door Male




Die No.	A	B	T	Wt.kg/12'
62213	98.00	57.20	1.80	3.600 - 3.900

Small Track




Die No.	A	B	T	Wt.kg/12'
62148	125.00	88.50	4.00	19.00 - 19.50


Big Track




Die No.	A	B	T	Wt.kg/12'
62263	115.00	107.00	4.00	26.00 - 26.50




Die No.	A	B	T	Wt.kg/12'
62338	97.00	35.50	0.80	2.100 - 2.400




Die No.	A	B	T	Wt.kg/12'
62339	50.00	30.00	0.70	1.100 - 1.300




Die No.	A	B	T	Wt.kg/12'
62340	40.00	29.00	0.80	1.150 - 1.350




Die No.	A	B	T	Wt.kg/12'
62341	20.00	25.00	1.00	0.650 - 0.700




Die No.	A	B	T	Wt.kg/12'
62342	14.00	21.20	1.00	0.550 - 0.650




Die No.	A	B	T	Wt.kg/12'
62343	78.00	30.00	0.80	1.600 - 1.800



Die No.	A	B	T	Wt.kg/12'
62344	60.00	30.00	0.80	1.300 - 1.500




Die No.	A	B	T	Wt.kg/12'
62345	26.00	25.00	1.00	0.850 - 1.000




Die No.	A	B	T	Wt.kg/12'
62368	99.80	3.65	0.95	0.950 - 1.150



Die No.	A	B	T	Wt.kg/12'
62346	30.20	11.10	1.10	0.550 - 0.600




Die No.	A	B	T	Wt.kg/12'
62347	30.00	17.50	1.10	0.750 - 0.850




Die No.	A	B	T	Wt.kg/12'
62355	7.10	25.00	1.50	0.600 - 0.650



Die No.	A	B	T	Wt.kg/12'
62356	18.00	16.00	0.80	0.400 - 0.450




Die No.	A	B	T	Wt.kg/12'
62363	80.00	17.50	1.60	2.000 - 2.300




Die No.	A	B	T	Wt.kg/12'
62364	90.00	35.00	0.80	2.300 - 2.700

uPVC Solid Track




Die No.	A	B	T	Wt.kg/12'
45110	11.00	9.00	0.80	0.350 - 0.400

uPVC Track-1160




Die No.	A	B	T	Wt.kg/12'
62271	8.70	7.20	-	0.320 - 0.350

uPVC Track-1163




Die No.	A	B	T	Wt.kg/12'
62272	9.70	7.80	0.80	0.180 - 0.220

uPVC Track-1137/1861




Die No.	A	B	T	Wt.kg/12'
62318	10.00	9.50	1.30	0.380 - 0.410

uPVC Track-1157




Die No.	A	B	T	Wt.kg/12'
62319	9.95	8.10	0.85	0.220 - 0.250

uPVC Track-1166




Die No.	A	B	T	Wt.kg/12'
62320	10.50	8.50	1.20	0.270 - 0.300

uPVC Track-1676




Die No.	A	B	T	Wt.kg/12'
62321	10.60	6.50	1.00	0.310 - 0.340

uPVC Track-1175




Die No.	A	B	T	Wt.kg/12'
62386	14.20	7.00	0.80	0.270 - 0.300

uPVC Track-1259



Die No.	A	B	T	Wt.kg/12'
62405	14.00	6.40	1.00	0.320 - 0.350


uPVC Track-1275




Die No.	A	B	T	Wt.kg/12'
62406	10.80	8.80	1.20	0.320 - 0.350




Die No.	A	B	T	Wt.kg/12'
62310	49.80	14.80	0.80	0.650 - 0.750




Die No.	A	B	T	Wt.kg/12'
62365	42.00	11.00	1.10	0.900 - 1.000




Die No.	A	B	T	Wt.kg/12'
62402	105.00	13.80	1.40	2.200 - 2.400




Die No.	A	B	T	Wt.kg/12'
62399	44.50	19.00	1.10	0.800 - 1.000




Die No.	A	B	T	Wt.kg/12'
62264	45.00	20.00	1.10	1.550 - 1.750




Die No.	A	B	T	Wt.kg/12'
62322	45.00	20.00	0.90	1.000 - 1.200



Die No.	A	B	T	Wt.kg/12'
62362	14.00	19.80	1.50	1.700 - 1.900




Die No.	A	B	T	Wt.kg/12'
62279	24.00	12.50	1.60	1.900 - 2.200



Die No.	A	B	T	Wt.kg/12'
62278	70.50	102.75	4.00	14.00 - 14.50


Expandable Grill Profile

4.00mm Series




Die No.	Bulb	A	B	T	Wt.kg/12'
40242	24	118.00	4.00	0.80	2.500 - 2.700
40302	30	148.00	4.00	0.80	3.200 - 3.500
40322	32	158.00	4.00	0.80	3.400 - 3.700
40362	36	178.00	4.00	0.80	3.600 - 3.900

4.50mm Series




Die No.	Bulb	A	B	T	Wt.kg/12'
45202	20	103.00	4.50	0.80	2.400 - 2.700
45222	22	113.50	4.50	0.80	2.700 - 2.900
45242	24	124.00	4.50	0.80	2.900 - 3.200
45262	26	134.50	4.50	0.80	3.200 - 3.500
45282	28	145.00	4.50	0.80	3.400 - 3.800
45302	30	155.50	4.50	0.80	3.700 - 4.000
45322	32	166.00	4.50	0.80	3.900 - 4.200
45342	34	176.50	4.50	0.80	4.200 - 4.500
45362	36	187.00	4.50	0.80	4.400 - 4.700
45482	48	250.00	4.50	0.80	5.900 - 6.400

5.50mm Series




Die No.	Bulb	A	B	T	Wt.kg/12'
55222	22	113.50	5.55	1.10	3.400 - 3.700
55242	24	124.00	5.55	1.10	3.700 - 4.000
55282	28	145.00	5.55	1.10	4.400 - 4.700
55322	32	166.00	5.55	1.10	5.000 - 5.300
55362	36	187.00	5.55	1.10	5.600 - 6.100

6.00mm Series




Die No.	Bulb	A	B	T	Wt.kg/12'
60202	20	108.00	6.00	1.30	3.700 - 4.000
60222	22	119.00	6.00	1.30	4.100 - 4.500
60242	24	130.00	6.00	1.30	4.500 - 4.900
60262	26	141.00	6.00	1.30	4.600 - 4.900
60282	28	152.00	6.00	1.30	5.300 - 6.700
60302	30	163.00	6.00	1.20	5.600 - 5.900
60322	32	174.00	6.00	1.20	6.000 - 6.400
60342	34	185.00	6.00	1.20	6.400 - 6.700
60362	36	196.00	6.00	1.20	6.800 - 7.200
60482	48	262.00	6.00	1.20	9.100 - 9.600

7.50mm Series




Die No.	Bulb	A	B	T	Wt.kg/12'
75362	36	250.00	7.40	2.00	12.50 - 13.00

10.00mm Series




Die No.	Bulb	A	B	T	Wt.kg/12'
100362	36	250.00	9.70	2.00	15.500 - 16.000

4.50mm Series




Die No.	Bulb	A	B	T	Wt.kg/12'
4520	20	141.00	4.50	0.80	2.700 - 3.000
4522	22	155.00	4.50	0.80	3.000 - 3.300
4524	24	170.00	4.50	0.80	3.300 - 3.600
4526	26	184.00	4.50	0.80	3.600 - 3.900
4528	28	199.00	4.50	0.80	3.800 - 4.200
4530	30	213.50	4.50	0.80	4.100 - 4.500
4532	32	228.00	4.50	0.80	4.400 - 4.800
4534	34	242.50	4.50	0.80	4.700 - 5.300
4536	36	257.00	4.50	0.80	5.000 - 5.400
70101	18	129.20	4.50	1.00	2.700 - 2.900
70102	22	158.80	4.50	1.00	3.300 - 3.500
70103	26	188.40	4.50	1.00	4.000 - 4.300
70104	28	203.20	4.50	1.00	4.600 - 4.900
70105	34	247.60	4.50	1.00	5.200 - 5.500

6.00mm Series




Die No.	Bulb	A	B	T	Wt.kg/12'
6020	20	146.00	6.00	1.20	4.100 - 4.400
6022	22	161.00	6.00	1.20	4.600 - 4.900
6024	24	176.00	6.00	1.20	5.000 - 5.300
6026	26	191.00	6.00	1.20	5.400 - 5.800
6028	28	206.00	6.00	1.20	5.800 - 6.200
6030	30	221.00	6.00	1.20	6.300 - 6.700
6032	32	236.00	6.00	1.20	6.700 - 7.100
6034	34	251.00	6.00	1.20	7.100 - 7.500
6036	36	266.00	6.00	1.20	7.500 - 7.900

6.50mm Series




Die No.	Bulb	A	B	T	Wt.kg/12'
6520	20	151.00	6.40	1.30	4.700 - 5.000
6522	22	166.50	6.40	1.30	5.200 - 5.600
6524	24	182.00	6.40	1.30	5.700 - 6.000
6526	26	197.50	6.40	1.30	6.100 - 6.400
6528	28	213.00	6.40	1.30	6.600 - 6.900
6530	30	228.00	6.40	1.30	7.100 - 7.500
6532	32	244.00	6.40	1.30	7.600 - 7.900
6534	34	259.50	6.40	1.30	8.100 - 8.500
6536	36	275.00	6.40	1.30	8.500 - 9.000

7.50mm Series




Die No.	Bulb	A	B	T	Wt.kg/12'
7516	16	140.00	7.40	2.00	6.100 - 6.400
7520	20	176.00	7.40	2.00	7.700 - 8.100
7522	22	194.00	7.40	2.00	8.600 - 9.000
7524	24	212.00	7.40	2.00	9.200 - 9.600
7528	28	248.00	7.40	2.00	10.80 - 11.20

10.00mm Series




Die No.	Bulb	A	B	T	Wt.kg/12'
10018	18	158.00	9.70	2.00	8.500 - 9.000
10022	22	194.90	9.70	2.00	10.30 - 10.60
10026	26	230.00	9.70	2.00	12.20 - 12.60
10028	28	248.00	9.70	2.00	13.30 - 13.80

M-Channel




Die No.	A	B	T	Wt.kg/12'
60124	10.10	28.00	1.30	0.750 - 0.800

M-Channel




Die No.	A	B	T	Wt.kg/12'
60125	10.10	28.00	1.00	0.600 - 0.650

Grill-H




Die No.	A	B	T	Wt.kg/12'
45111	30.00	10.00	1.00	0.650 - 0.700
45113	32.00	14.00	1.00	0.750 - 0.850

Grill-Y




Die No.	A	B	T	Wt.kg/12'
45121	32.00	8.20	0.60	0.350 - 0.370
45106	32.00	11.30	0.60	0.350 - 0.400
45107	32.00	11.30	0.90	0.550 - 0.600
45114	32.00	14.40	1.20	0.750 - 0.850

Grill-F




Die No.	A	B	T	Wt.kg/12'
45108	23.00	15.00	0.70	0.350 - 0.400
45109	23.00	15.00	1.10	0.550 - 0.600


H-Channel




Die No.	A	B	T	Wt.kg/12'
45115	40.00	11.00	1.50	1.200 - 1.300




Die No.	A	B	T	Wt.kg/12'
45116	26.00	14.50	1.50	1.000 - 1.100




Die No.	A	B	T	Wt.kg/12'
45117	22.00	20.00	1.50	0.600 - 0.650



Die No.	A	B	T	Wt.kg/12'
45122	30.00	20.00	2.00	1.100 - 1.300
45118	41.00	20.00	2.00	1.300 - 1.500




Die No.	A	B	T	Wt.kg/12'
45119	20.00	4.50	2.00	0.400 - 0.450




Die No.	A	B	T	Wt.kg/12'
45120	30.00	7.50	0.60	0.400 - 0.450

Group Corner Gola




Die No.	A	B	T	Wt.kg/12'
45104	38.00	21.00	1.40	0.850 - 0.950

DC




Die No.	A	B	T	Wt.kg/12'
19105	22.00	12.00	0.65	0.350 - 0.400
19106	22.00	12.00	0.80	0.425 - 0.475
19107	22.00	12.00	1.05	0.550 - 0.600
19108	22.00	12.00	1.20	0.626 - 0.675
19109	31.00	14.00	0.90	0.630 - 0.700

HR DC




Die No.	A	B	T	Wt.kg/12'
19101	22.00	15.50	0.65	0.400 - 0.450
19102	22.00	15.50	0.90	0.550 - 0.600

Textile Channel




Die No.	A	B	T	Wt.kg/12'
17105	22.00	14.00	1.35	1.400 - 1.600

G-Channel




Die No.	A	B	T	Wt.kg/12'
45101	41.00	41.00	1.85	2.200 - 2.500

C-Channel




Die No.	A	B	T	Wt.kg/12'
45102	35.50	18.00	2.00	1.600 - 1.800

Group Gola




Die No.	A	B	T	Wt.kg/12'
45105	38.50	10.00	0.85	0.500 - 0.600



Die No.	A	B	T	Wt.kg/12'
45112	38.00	25.00	1.50	1.050 - 1.200


Louver




Die No.	A	B	T	Wt.kg/12'
62142	75.00	17.00	1.00	0.900 - 1.100

Miscellaneous Profile


G-Channel




Die No.	A	B	T	Wt.kg/12'
62182	39.00	39.00	2.50	2.750 - 2.950




Die No.	A	B	T	Wt.kg/12'
62183	47.00	39.00	1.00	1.650 - 1.850




Die No.	A	B	T	Wt.kg/12'
62231	48.50	45.90	2.80	2.100 - 2.300




Die No.	A	B	T	Wt.kg/12'
62265	24.00	39.00	2.70	3.800 - 4.200




Die No.	A	B	T	Wt.kg/12'
62266	29.00	40.00	2.50	4.700 - 5.000




Die No.	A	B	T	Wt.kg/12'
62267	63.00	18.00	1.85	2.000 - 2.200




Die No.	A	B	T	Wt.kg/12'
62268	32.00	18.00	1.85	1.300 - 1.500




Die No.	A	B	T	Wt.kg/12'
62269	43.00	12.00	6.00	3.200 - 3.400



Die No.	A	B	T	Wt.kg/12'
62270	50.00	13.50	1.55	2.400 - 2.700




Die No.	A	B	T	Wt.kg/12'
62273	40.00	40.00	1.50	4.600 - 4.900




Die No.	A	B	T	Wt.kg/12'
62285	20.20	4.70	1.20	0.350 - 0.400




Die No.	A	B	T	Wt.kg/12'
62289	60.00	20.20	1.10	1.100 - 1.300



Die No.	A	B	T	Wt.kg/12'
62292	100.00	10.50	1.80	1.800 - 2.000




Die No.	A	B	T	Wt.kg/12'
62293	86.50	51.40	1.40	4.900 - 5.200




Die No.	A	B	T	Wt.kg/12'
62295	86.48	20.80	1.20	1.200 - 1.400


LED Profile




Die No.	A	B	T	Wt.kg/12'
62296	29.70	23.00	0.40	0.430 - 0.480




Die No.	A	B	T	Wt.kg/12'
62298	60.00	9.00	5.00	3.200 - 3.500




Die No.	A	B	T	Wt.kg/12'
62299	39.00	44.00	3.00	2.600 - 3.000




Die No.	A	B	T	Wt.kg/12'
62300	26.80	10.80	1.00	0.850 - 0.950




Die No.	A	B	T	Wt.kg/12'
62302	30.00	11.20	0.90	0.500 - 0.600




Die No.	A	B	T	Wt.kg/12'
62305	72.00	50.00	1.40	2.800 - 3.100




Die No.	A	B	T	Wt.kg/12'
62309	25.20	17.00	1.00	0.600 - 0.700




Die No.	A	B	T	Wt.kg/12'
62316	28.00	16.00	2.80	1.400 - 1.600



Die No.	A	B	T	Wt.kg/12'
62317	50.00	29.00	1.50	3.000 - 3.300




Die No.	A	B	T	Wt.kg/12'
62327	47.00	57.80	1.80	5.000 - 5.500




Die No.	A	B	T	Wt.kg/12'
62328	40.00	28.00	2.00	2.300 - 2.600

Box-T




Die No.	A	B	T	Wt.kg/12'
62330	88.50	38.00	1.50	2.800 - 3.000

Hanger Section




Die No.	A	B	T	Wt.kg/12'
62332	120.00	12.50	1.40	2.600 - 2.900

RM/1106-A4 (D-Profile)



Die No.	A	B	T	Wt.kg/12'
62335	33.00	30.00	1.70	2.000 - 2.300

RM/1106-A2 (Rectangle Series)




Die No.	A	B	T	Wt.kg/12'
62336	102.00	24.20	1.25	3.500 - 3.800

RM/1106-A2 (Clip Profile)




Die No.	A	B	T	Wt.kg/12'
62337	90.00	21.00	4.15	6.200 - 6.500

Louver




Die No.	A	B	T	Wt.kg/12'
62354	34.00	65.00	1.20	1.200 - 1.500

Railway Profile




Die No.	A	B	T	Wt.kg/12'
62357	89.00	44.50	24.50	33.00 - 34.00

Wardrobe Door Frame




Die No.	A	B	T	Wt.kg/12'
62358	25.00	25.00	1.75	1.700 - 1.900

Switch Body




Die No.	A	B	T	Wt.kg/12'
62366	106.00	67.70	1.30	4.400 - 4.700

Switch Body




Die No.	A	B	T	Wt.kg/12'
62367	106.00	12.70	1.30	2.200 - 2.400



Die No.	A	B	T	Wt.kg/12'
62400	64.00	64.00	3.00	10.50 - 11.50

Louver Profile




Die No.	A	B	T	Wt.kg/12'
62385	199.75	40.00	1.30	7.200 - 7.500

RM/1106-A2 (Clip Profile)




Die No.	A	B	T	Wt.kg/12'
62337	90.00	21.00	4.15	6.200 - 6.500

Louver




Die No.	A	B	T	Wt.kg/12'
62354	34.00	65.00	1.20	1.200 - 1.500

Railway Profile




Die No.	A	B	T	Wt.kg/12'
62357	89.00	44.50	24.50	33.00 - 34.00

Wardrobe Door Frame




Die No.	A	B	T	Wt.kg/12'
62358	25.00	25.00	1.75	1.700 - 1.900

Switch Body




Die No.	A	B	T	Wt.kg/12'
62366	106.00	67.70	1.30	4.400 - 4.700

Switch Body




Die No.	A	B	T	Wt.kg/12'
62367	106.00	12.70	1.30	2.200 - 2.400





Die No.	A	B	T	Wt.kg/12'
62400	64.00	64.00	3.00	10.50 - 11.50

Louver Profile



Die No.	A	B	T	Wt.kg/12'
62385	199.75	40.00	1.30	7.200 - 7.500

NOTES



METAL OF TOMORROW



REACH OUT US

📍 **KANISHK ALUMINIUM INDIA PVT LTD.**



E-849(A&B), PHASE-IV,
RIICO INDUSTRIAL AREA, BORANADA,
JODHPUR-342012 (RAJ.) INDIA.

☎ +91-291-2945946

✉ info@kanishkindia.co.in

☎ +91-97838 13111

🌐 www.kanishkindia.co.in

 /kanishkaluminium

